



PIGSTART PLUS

Complementary feed for newborn piglets

PROPERTIES

PIGSTART PLUS provides to newborn piglets:

- Immuno-globulins from colostrum and egg yolk to strengthen natural protection of piglets
- Lactic acid bacteria which rapidly colonize digestive tract and support implementation of positive lactic flora from first hours of life.
- Fatty acids, sugars and proteins supplying energy and nutrients immediately available
- SOD, powerful antioxidant stimulating immunity
- Vitamins and selenium, essential for vitality and healthy development of piglets

COMPOSITION

Dried Egg products
Cod-liver oil
Lactose
IBR free Colostrum
Dextrose
Melon plant extract rich in SOD
Grape seed oil

ADDITIVES

Vitamins

3a672b Vitamin A	312 000 IU/L
3a671 Vitamin D3	154 500 IU/L
3a700 Vitamin E	940 mg/L
3a300 Vitamin C	6450 mg/L
3a820 Vitamin B1	250 mg/L
3a825ii Vitamin B2	1000 mg/L
3a841 Vitamin B5 (D-calcium pantothenate)	2000 mg/L
3a831 Vitamin B6	100 mg/L
3a315 Vitamin PP (Niacinamide)	3750 mg/L
3a835 Vitamin B12	3 mg/L
3a316 Folic acid	250 mg/L

(Density: 1.06)

Gut flora stabilizer

4b1705 *Enterococcus faecium* NCIMB-10415 : 1.0×10^{11} CFU/L

Trace-elements

3b801 Selenium (Sodium selenite)	4,5 mg/L
3b810 Organic selenium (Selenised yeast <i>Saccharomyces cerevisiae</i> CNCM I-3060, inactivated)	3 mg/L

Antioxygens

E310 Propyl gallate	60 mg/L
1b320 Butylated hydroxyanisole (BHA)	30 mg/L

Preservatives

1a330 Citric acid	10 000 mg/L
1k202 Potassium sorbate	5 000 mg/L

Aromatic substances

Mix of aromatic substances

ANALYTICAL CONSTITUENTS

Moisture	48,3 %
Crude protein	12,7 %
Crude fibre	0,34 %
Crude fats	20,6 %
Raw ash (mineral matter)	1,7 %
Lysine	0,88 %
Methionine	0,27 %
Sodium	0,25 %
Potassium	0,25 %



Manufactured by an OQUALIM
STNO certified site and suitable for
"fed without GMO" channels

DIRECTIONS OF USE

Oral paste, ready for use and easy to use with dosing bottle.

- Distribute one dose of 2 mL (1 pump) in piglet mouth as soon as possible after birth.
- If necessary a second dose can be given the day after or in the following days.

Before use or before extending the period of use, it is recommended to seek the advice of a feed expert or a veterinarian. Do not use for another species.

The simultaneous use of different organic acids or their salts is contraindicated where one or more of them is used at or near the maximum permitted content.

PACKAGING

Box of 6 bottles of 100 mL (1 bottle = 50 doses)

Preservation:

- 12 months after manufacture
- 1 month after the opening of the bottle
- Store in a cool place